

Robert Greene Sterne Edward J. Kessler Jorge A. Goldstein David K.S. Cornwell Robert W. Esmond Tracy-Gene G. Durkin Michael B. Ray Robert E. Sokohl Eric K. Steffe Michael Q. Lee Steven R. Ludwig John M. Covert Linda E. Alcorn Robert C. Millonig Lawrence B. Bugaisky Donald J. Featherston Michael V. Messinger Judith U. Kim Timothy J. Shea, Jr. Patrick E. Garrett Jeffrey T. Helvey* Heidi L. Kraus Crystal D. Sayles Edward W. Yee Albert L. Ferro* Donald R. Banowit Peter A. Jackman Molly A. McCall Teresa U. Medler Jeffrey S. Weaver Kendrick P. Patterson Vincent L. Capuano Albert J. Fasulo II* Eldora Ellison Floyd W. Russell Wandell Thomas C. Fiala Brian J. Del Buono Virgil Lee Beaston's Regigiad D. Utaca's Kimberly N. Reddick heedore A. Wood Elizabeth J. Haanes Droseph S. Ostroff Frank R. Cottingham Christine M. Itulier Rae Lynn Prengamen Jane Shershenovich's Lawrence J. Carroll'e Corge S. Bardmesser Daniel A. Kilen's Rodney G. Maze Jason D. Eisenberg Michael A. Specht'

Registered Patent Agents*
Karen R. Markowicz
Andrea J. Kamage
Nancy J. Leith
Ann E. Summerfield
Helene C. Carlson
Gaby L. Longsworth
Matthew J. Dowd
Aaron L. Schwartz
Angelique G. Uy
Boris A. Matvenko
Mary B. Tung
Katina Y. Pel
Bryan L. Skelton
Robert A. Schwartzman
John J. Figueroa
Timothy A. Doyle
Jennifer R. Mahalingappa

Senior Counsel Samuel L. Fox Kenneth C. Bass III Lisa A. Dunner

*Admitted only in Maryland

*Admitted only in Virginia

*Admitted only in Texas

*Practice Limited to
Federal Agencies

Noy mber 12, 2002

WRITER'S DIRECT NUMBER: (202) 371-2628 INTERNET ADDRESS: KPATTERS@SKGF.COM

RECEIVED

NOV 1 5 2002

Art Unit 1634

TECH CENTER 1600/2900

Re:

Commissioner for Patents

Washington, D.C. 20231

U.S. Utility Patent Application

Appl. No. 09/852,093; Filed: May 10, 2001

For: Method for Measuring Unit Activity of an Enzyme (as amended)

Inventors:

Nellis et al.

Our Ref:

0942.5110000/LEA/KPP

Sir:

Transmitted herewith for appropriate action are the following documents:

- 1. Petition for Extension of Time Under 37 C.F.R. § 1.136(a)(1);
- 2. Fee Transmittal Form PTO/SB/17;
- 3. Amendment and Reply Under 37 C.F.R. § 1.111;
- 4. Check no. 37295 in the amount of \$110.00 to cover Extension of Time; and
- 5. One (1) Return Postcard.

It is respectfully requested that the attached postcard be stamped with the date of filing of these documents, and that it be returned to our courier. In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned.

Sterne, Kessler, Goldstein & Fox P.L.L.c. : 1100 New York Avenue, NW : Washington, DC 20005 : 202.371.2600 f 202.371.2540 : www.skgf.com

Commissioner for Patents November 12, 2002 Page 2

The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Kendrick P. Patterson Attorney for Applicants Registration No. 45,321

KPP/dnk Enclosures

::ODMA\MHODMA\SKGF_DC1;74153;1 SKGF Rev. 2/15/02 dcw





In re application of:

Nellis et al.

Appl. No. 09/852,093

Filed: May 10, 2001

For: Method for Measuring Unit

Activity of an Enzyme (as

amended)

Confirmation No.: 4759

Art Unit: 1634

Examiner: Frank Lu

Atty. Docket: 0942.5110000

1 Lita

Amendment And Reply Under 37 C.F.R. § 1.111

Commissioner for Patents Washington, D.C. 20231

Sir:

In reply to the Office Action dated **August 1, 2002**, (PTO Prosecution File Wrapper Paper No. 6), Applicants submit the following Amendment and Remarks. This Amendment is provided in the following format:

- (A) A clean version of each replacement paragraph/section/claim along with clear instructions for entry;
- (B) Starting on a separate page, appropriate remarks and arguments. 37
- C.F.R. § 1.121 and MPEP 714; and
- (C) Starting on a separate page, a marked-up version entitled: "Version with markings to show changes made."

It is not believed that extensions of time or fees for net addition of claims are required beyond those that may otherwise be provided for in documents accompanying this paper. However, if additional extensions of time are necessary to prevent